Visual Analytics for Investigative Analysis and Exploration of Document Collections

John Stasko


Information Interfaces Research Group School of Interactive Computing Georgia Institute of Technology





Data Explosion

- Society is more complex
 - There simply is more "stuff"




- Computers, internet and web give people access to an incredible amount of data
 - news, sports, financial, purchases, etc...





Data Overload

- Confound: How to make use of the data
 - How do we make sense of the data?
 - How do we harness this data in decisionmaking processes?
 - How do we avoid being overwhelmed?








Premise of my Work

 Visualization of data helps people understand it better







Visualization

- Often thought of as process of creating a graphic or an image
- Really is a cognitive process
 - Form a mental image of something
 - Internalize an understanding
- "The purpose of visualization is insight, not pictures"
 - Insight: discovery, decision making, explanation, analysis, exploration, learning





Main Idea

- Visuals help us think
 - Provide a frame of reference, a temporary storage area
- Cognition → Perception
- Pattern matching
- External cognition aid
 - Role of external world in thinking and reason





When to Apply?

- Many other techniques for data analysis
 - Data mining, DB queries, machine learning...

- Visualization most useful in exploratory data analysis
 - Don't know what you're looking for
 - Don't have a priori questions
 - Want to know what questions to ask






Some quick (static) examples...





NYC Weather

2220 numbers




New York Times, January 11, 1981, p. 32.





Atlanta Flight Traffic



Atlanta Journal April 30, 2000



Reinforce my point with two examples






Questions:

Which cereal has the most/least potassium?
Is there a relationship between potassium and fiber?
If so, are there any outliers?
Which manufacturer makes the healthiest cereals?

	А	В	С	D	
1	Cereal	Manufacturer	Fiber	Potassium	
2	100% Bran	N	10	280	
3	100% Natural Bran	Q	2	135	
4	All-Bran	K	9	320	
5	All-Bran with Extra Fiber	K	14	330	
6	Almond Delight	R	1	0	
7	Apple Cinnamon Cheeric	G	1.5	70	
8	Bran Chex	R	4	125	
9	Bran Flakes	Р	5	190	
10	Cap'n'Crunch	Q	0	35	
11	Cheerios	G	2	105	
12	Cocoa Puffs	G	0	55	
13	Corn Chex	R	0	25	
14	Corn Flakes	K	1	35	
15	Count Chocula	G	0	65	
16	Cracklin' Oat Bran	K	4	160	
17	Cream of Wheat (Quick)	N	1	0	
18	Crispy Wheat & Raisins	G	2	120	
19	Double Chex	R	1	80	
20	Froot Loops	K	1	30	
21	Frosted Flakes	K	1	25	
22	Fruit & Fibre Dates, Wal	Р	5	200	
23	Fruitful Bran	K	5	190	
24	Fruity Pebbles	Р	0	25	
25	Golden Grahams	G	0	45	
26	Grape Nuts Flakes	Р	3	85	
27	Honey Nut Cheerios	G	1.5	90	

28	Honey-comb	Р	0	35	
29	Just Right Fruit & Nut	K	2	95	
30	Life	Q	2	95	
31	Lucky Charms	G	0	55	
32	Maypo	Α	0	95	
33	Muesli Raisins, Dates, 8	R	3	170	
34	Multi-Grain Cheerios	G	2	90	
35	Nutri-Grain Almond-Rais	K	3	130	
36	Nutri-grain Wheat	K	3	90	
37	Oatmeal Raisin Crisp	G	1.5	120	
38	Post Nat. Raisin Bran	Р	6	260	
39	Product 19	K	1	45	
40	Quaker Oatmeal	Q	2.7	110	
41	Raisin Bran	K	5	240	
42	Raisin Nut Bran	G	2.5	140	
43	Rice Krispies	K	0	35	
44	Shredded Wheat	N	3	95	
45	Shredded Wheat 'n'Bran	N	4	140	
46	Shredded Wheat spoon	N	3	120	
47	Smacks	K	1	40	
48	Special K	K	1	55	
49	Strawberry Fruit Wheats	N	3	90	
50	Total Corn Flakes	G	0	35	
51	Total Raisin Bran	G	4	230	
52	Total Whole Grain	G	3	110	
53	Trix	G	0	25	
_	Wheaties	G	3	110	
55	Wheaties Honey Gold	G	1	60	







Even Tougher?

- What if you could only see one cereal's data at a time? (e.g. some websites)
- What if I read the data to you?





Four Data Sets


- Mean of the x values = 9.0
- Mean of the y values = 7.5
- Equation of the least-squared regression line is: y = 3 + 0.5x
- Sums of squared errors (about the mean) = 110.0
- Regression sums of squared errors (variance accounted for by x)
 = 27.5
- Residual sums of squared errors (about the regression line)
 = 13.75
- Correlation coefficient = 0.82
- Coefficient of determination = 0.67

http://astro.swarthmore.edu/astro121/anscombe.html





The Data Sets







Two Related Disciplines

- Information Visualization
- Visual Analytics





Information Visualization

- Using interactive computer visualizations to represent and communicate abstract data
 - Statistics, databases, software, ...
- Area emerged approximately 1990





Information Visualization

- Recent research trends
 - InfoVis for the Masses
 - Challenges of evaluation
 - Interaction is crucial





Visual Analytics


- Informal: Using visual representations to help make decisions
- Formal: The science of analytical reasoning facilitated by interactive visual interfaces
- InfoVis++
- Area emerged approximately 2005





Overview of the R&D Agenda

- Science of Analytical Reasoning
- Science of Visual Representations and Interactions
- Data Representations and Transformations
- Production, Presentation, and Dissemination
- Moving Research Into Practice
- Positioning for an Enduring Success



Slide courtesy of Jim Thomas





Visual Analytics: Beyond InfoVis

- Statistics, data representation and statistical graphics
- Geospatial and Temporal Sciences
- Applied Mathematics
- Knowledge representation, management and discovery
- Ontology, semantics, NLP, extraction, synthesis, ...
- Cognitive and Perceptual Sciences
- Comunications: Capture, Illustrate and present a message
- Decision sciences

Slide courtesy of Jim Thomas





Sensemaking

"A motivated, continuous effort to understand connections (which can be among people, places, and events) in order to anticipate their trajectories and act effectively."

Klein, Moon and Hoffman





Jigsaw

- Visualization for Investigative Analysis across Document Collections
 - Targeting analysis
 - Law enforcement
 - Intelligence community

"Putting the pieces together"







The Jigsaw Team

Current:

Carsten Görg, Youn-ah Kang, Zhicheng Liu, Jaegul Choo, Alex Humesky, Hrishikesh Mantri, Vasili Pantazopoulos

Alumni:

Gennadiy Stepanov, Sarah Williams, Meekal Bajaj, Mohit Jain, Neel Parekh, Roger Pincombe, Kanupriyah Singhal, Xin Sun








Figure 2.1. Notional model of sensemaking loop for intelligence analysis derived from CTA.

Pirolli & Card, ICIA '05





Pain Points

- Cost structure of scanning and selecting items for further attention
- Analysts' span of attention for evidence and hypotheses






Analogy

Problem Addressed

 Help investigative analysts discover plans, plots and threats embedded across the individual documents in large document collections



Documents/ case reports



DBs



Blogs





Example Documents

- 2) Report Date: 22 February, 2003. Surveillance report on Cesar Arze, whose residence is 77 Avenue Francis, Santo Domingo, Dominican Republic. Arze, who moved from Havana, Cuba to Santo Domingo in 1992, works as a medical technician in Santo Domingo. Arze is under surveillance because of information that he is associated with Cuban intelligence services. Arze was photographed in company with a man identified as Hector Lopez in Bogota, Columbia on 23 January, 2003. Lopez, a known representative of FARC, has conducted narcotics distribution activities throughout South and Central America and the Caribbean.
- 1) Report Date: 12 July, 2004. A routine customs inspection was performed on a package that was sent by a person named Pieter Dopple, 22 Hoveniersstraat, Antwerp, Belgium. This package was addressed to A. Hijazi, 1212 Lyons Ave., Newark, NJ. The customs form stated that this package contained two decorative clocks having a commercial value of \$250.00. The package instead contained 111 polished diamonds, whose value is estimated to be \$47,000. Discussions with the FBI resulted in a decision not to pursue a customs violation charge against Hljazi. The reason is that Hljazi is currently under FBI surveillance. This package was resealed and delivered to Hljazi by USPS.
- 1) Report Date: 11 November, 2003. On 1 November, 2003 Mousa Salah, of no fixed address in Herndon, VA., was arrested at Dulles International Airport as he attempted to board a flight to London Heathrow. At the time of his arrest he was using a Jordanian passport in the name Shadi abu Hoshar. Salah has been wanted in connection with Hamas fund-raising and other activities in Northern Virginia. It is believed that Salah entered the USA illegally from Windsor, Canada into Detroit, MI in 2002. Salah was in possession of a Virginia driver's license # T21-23-8820 registered in the name Mousa Salah. Virginia DOT records show that this same license number was issued on 10 August, 2001 to a woman named April Stevens of Roanoke, VA. Ms Stevens is not the subject of further investigations; she teaches kindergarten classes in Roanoke. The address shown on Salah's driver's license does not exist. Several numbers and initials were written on the back of an envelope in possession of Salah at the time of his arrest; they are: (i) J. T., Detroit, (ii) A. H., Newark, (iii) M. M., Laurel.






Our Focus

- Entities within the documents
 - Person, place, organization, phone number, date, license plate, etc.
- Thesis: A plot/threat within the documents will involve a set of entities in coordination











Entity Identification

- Must identify and extract entities from plain text documents
 - Crucial for our work
- Not our main research focus –
 Collaborate with or use tools from others





Sample Document

Report: 20040510-4 16

May 14 2004

VANCOUVER, British Columbia - A Canadian immigration panel is considering whether accused environmental saboteur Tre Arrow can apply for refugee status in Canada.

Arrow, 30, who is wanted for fire bombing logging and cement trucks in Oregon, asked the Canadian authorities to remain in Canada as a political refugee at a hearing in Vancouver on Tuesday.

A key issue will be whether Arrow is affiliated with a terrorist group, which would immediately disqualify him from receiving refugee status in Canada, authorities said.

The Immigration and Refugee Board is scheduled to decide by May 31 whether Arrow is affiliated with the Earth Liberation Front, a group the FBI considers a terrorist organization responsible for scores of attacks on property over the past dozen years.





Entities Identified

Source:

Date: May 14, 2004

VANCOUVER, British Columbia - A Canadian immigration panel is considering whether accused environmental saboteur Tre Arrow can apply for refugee status in Canada.

Arrow, 30, who is wanted for fire bombing logging and cement trucks in Oregon, asked the Canadian authorities to remain in Canada as a political refugee at a hearing in Vancouver on Tuesday.

A key issue will be whether **Arrow** is affiliated with a terrorist group, which would immediately disqualify him from receiving refugee status in Canada, authorities said.

The Immigration and Refugee Board is scheduled to decide by May 31 whether Arrow is affiliated with the Earth Liberation Front, a group the FBI considers a terrorist organization responsible for scores of attacks on property over the past dozen years.





Connections


- Entities relate/connect to each other to make a larger "story"
- Connection definition:
 - Two entities are connected if they appear in a document together
 - The more documents they appear in together, the stronger the connection





Jigsaw


- Multiple visualizations (views) of documents, entities, & their connections
- Views are highly interactive and coordinated
- User actions generate events that are transmitted to and (possibly) reflected in other views









System Views









#0 \(\bullet \bullet

The Need for Pixels




Even More!







Even More!







Demo





Console








Document View








List View








Graph View








Report Cluster View








Calendar View








Scatterplot View







Timeline View







Related Work

- GeoTime, TRIST, & SANDBOX: Oculus
- Analyst's Notebook: i2
- KANI, Prospekt: PNNL
- WebTAS: ISS Inc.
- CorpusView & Entity Workspace: PARC





What It Does & Does Not Provide

Is not a "theme" view

Is a visual index onto documents and entities

Must read the reports!





Contributions

- Individual view representations and interactions – focus on entity connections
- Advocacy/illustration of using multiple views and large screen space
- Relatively simple UI interactions
- Synthesis into a working system providing investigative analysis capabilities






New Developments





Document Management




More flexible document import & entity identification






Entity Aliasing







Recommend Related Entities








Amplifying Automated Analysis

- Auto-summarization
- Analyst can ask "What's similar?" or "What's different?"
- Can the system suggest hypotheses about the data?
 - Difficult problem, in general






Entity Connection View








WordTree View







GeoSpatial View








Evaluation

Overview, filter & detail
Build from detail
Hit the keyword
Find a clue, follow the trail

	Paper				Desktop				Entity				Jigsaw			
	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14	P15	P16
Grading Task Sheet	-1.75	17	4	13	13	10.5	10.5	-3.5	5.5	-8.25	4	7.5	14.5	13.5	7	17
Grading Debriefing	2	2.5	1	5.5	3	4	1.5	3	3.5	2.5	1.5	6	6	2.5	5.5	5
Final Score	22.87	65.00	24.26	87.08	62.08	67.13	42.13	29.41	52.23	15.00	29.26	81.19	95.05	58.07	75.20	90.00
Performance	fair	very good	fair	excellent	very good	very good	good	fair	good	poor	fair	excellent	excellent	good	very good	excellent
Avg. Score/Setting	49.80				50.19				44.42				79.59			
Documents Viewed	50	50	50	50	50	50	50	50	49	31	45	50	31	50	46	23
Number of Queries					19	18	48	8	23	61	59	91	44	4	26	8
First Query					40:49	19:55	2:47	12:41	1:31	0:29	0:59	3:12	0:18	5:35	25:37	4:18
Amount of Notes	many	none	many	some	many	some	few	some	some	none	none	few	some	few	few	few
First Note Taking	0:07	-	0:05	0:16	1:53	19:57	2:47	8:20	2:37	_	_	3:14	0:48	0:32	5:15	78:48
First Task Sheet	43:20	32:53	70:13	3:25	61:35	20:26	7:33	64:11	28:09	0:52	2:55	7:20	48:26	41:48	43:00	5:33
Strategy Used	OFD	OFD	BFD	OFD	OFD	OFD	FCFT	BFD	BFD	HTK	*****	FCFT	FCFT	HTK	OFD	FCFT



<u>To appear</u>: Kang, Görg & Stasko VAST '09



Key Focus

- Transitioning to real (field) use
- Bundle the system into a package for download and use
- Available upon request

Work in progress...





WAJAC Use

"Recently, the Washington Joint Analytical Center (WAJAC) assisted a local police department in analyzing 345 incident reports pertaining to graffiti. Jigsaw was an invaluable tool when it came to examining reports. Without the use of Jigsaw, examining reports would have been tedious and time consuming, and connections between entities may not have been seen.

The local police department was very impressed with Jigsaw and stated that the program will become very useful in tracking graffiti activity, and possibly other criminal activity.

WAJAC uses Jigsaw on a continuous basis to examine information in our intelligence database. Jigsaw is also used to analyze incidents relating to the security of the Washington State Ferry System. It provides a searchable database and quick analytical tool for tracking potential threats to the largest ferry transportation system in the U.S."

CHAD R MELTON
Criminal Intelligence Analyst
WAJAC/FBI-FIG





Cold Case

- Worked on an active police cold case
- About 1000 documents
 - Scanned and OCR'ed

Some pluses and minuses





New Domains

- Bioinformatics & genomics
 - Many, many articles about a gene --- How do they connect and relate?
 - Entity-Entity relationships now matter more
- Air traffic statutes: US Europe
- Legal e-discovery

• ...





Issues/Questions/Reflections

- Where do I start?
- All those views!
- Entity Identification, entity identification, entity identification, entity identification...
- Straightforward UIs matter!





Future Work

- "Thinking" view (evidence marshalling)
- Investigative history browser
- Amplified computational analysis
- Entity connection types
- Representing reliability & uncertainty





Reflections on Document Analysis

- Definitely can generalize out from investigative analysis
- Visual analytics can really help

• Issues...





- 1. Understand the task & use
 - Intelligence analysis
 - Identify the threat
 - Understand a situation

– Others?





- 2. Need more text & linguistics analysis
 - Leverage computational linguistics
 - E.g., sentiment analysis
 - Collaborate with colleagues who are experts in this area





- 3. Handle dynamic collections of documents
 - Static collection vs. document stream
 - Adapt to document feeds & crawling/trolling





- 4. Help analysts manage the investigative state better
 - Helping analysts resume and return to earlier points
 - What else do they really want to do?





- 5. Include many types of documents
 - Blogs, spreadsheets, press releases, Twitter,
 Wikipedia, patents, academic papers, ...
 - Can each's structure/form be exploited?
 - Important to understand what an analyst would want to do with each





To Learn More

http://www.gvu.gatech.edu/ii







Acknowledgments

 Work conducted as part of the Southeastern Regional Visualization and Analytics Center, supported by DHS and NVAC and the new DHS Center of Excellence in Command, Control & Interoperability (VACCINE Center)









 Supported by NSF IIS-0414667, CCF-0808863 (FODAVA lead), NSF IIS-0915788







End

- Thanks for your attention!
- Questions?



